

# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 annex II and EC/2020/878

## High Gloss Polish

Date of issue: 2024-08-26

Version 1

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

**1.1 Product identifier**

**Tradename** High Gloss Polish  
**Productcode** 264  
**UFI** 6H60-T0D8-J00Y-VKF7

**1.2 Relevant identified uses of the substance or mixture and uses advised against**  
Polishing agent**1.3 Details of the supplier of the safety data sheet**

Leather Master Scandinavia  
Klangfärgsgatan 16  
426 52 Västra Frölunda  
Sweden  
**Telephone** +46 (0)31-69 51 50  
**E-mail** info@leathermaster.se  
**Website** www.leathermaster.se

**1.4 Emergency telephone number**

For poison information call, NHS 111 (England), NHS 24 (Scotland) or NHS Direct (Wales), in emergencies call 999.

### SECTION 2: Hazards identification

**2.1 Classification of the substance or mixture**

**Classification CLP (1272/2008/EC)**  
EUH066

**2.2 Label elements:**

**Pictogram**  
None

**Signal Word:** None

**Containing substances**

-

**Hazard statement Code(s)**

None

**Supplemental hazard information**

EUH066 Repeated exposure may cause skin dryness or cracking.

**Precautionary statements**

None

**Labelling according to Regulation (EC) No 648/2004**

<5% Anionic surfactants.

>30% Aliphatic hydrocarbon

**Tactile warnings of danger:** No

**Child-resistant fastenings:** No

**2.3 Other hazards**

The product is not considered to contain substances that meet the criteria for classification as PBT or vPvB substances in concentrations  $\geq 0.1\%$ .

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq 0.1\%$ .

# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 annex II and EC/2020/878

## High Gloss Polish

Date of issue: 2024-08-26

Version 1

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Components	CAS-No EC-No Reg-No	Conc. %	Hazard Class & Category Code*	Hazard statement Code(s)*	Note
Lubricating oil Index: 649-530-00-X	101316-72-7 309-877-7 -	40 - 55	-	-	1
Naphtha (petroleum), hydrotreated heavy Index: 649-327-00-9	64742-48-9 265-150-3 01-2119457273-39	15 - 25	Asp Tox. 1	H304 EUH066	1, 2
Propan-2-ol Index: 603-117-00-0	67-63-0 200-661-7 01-2119457558-25	1 - 5	Flam. Liq. 2 Eye Irrit. 2 STOTSE 3	H225 H319 H336	1, 2
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3 500-234-8 01-2119488639-16	<1	Skin Irrit. 2 Eye Dam. 1 Aquatic Chronic 3	H315 H318 H412	1

\* The full text of Hazard statement Codes is listed under section 16.

Explanation of note

1. Substance is classified as hazardous to health or environment.
2. Substance has hygiene limit values
3. Substance reaches the criteria to be classified as PBT according to (EG) nr 1207/2006, annex XIII
4. Substance reaches the criteria to be classified as vPvB according to (EG) nr 1207/2006, annex XIII

The classification is based on data from the chemical supplier and [www.echa.europa.eu](http://www.echa.europa.eu) (databases)

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures:

##### General information

In all cases of doubt, or when symptoms persist, seek medical advice.

##### Inhalation

Fresh air. Contact a doctor if symptoms persist.

##### Skin contact

Take off all contaminated clothing. Wash and rinse the skin thoroughly. Contact a doctor if the complaints persist.

##### Eye contact

Rinse with lukewarm water for several minutes. Hold eyelids apart. Remove contact lenses, if present and easy to do. Contact a doctor if the complaints persist.

##### Ingestion

Rinse mouth with water and drink several glasses of water. Contact a doctor if the complaints persist.

#### 4.2 Most important symptoms and effects, both acute and delayed:

**Inhalation:** May be slightly irritating.

**Skin contact:** May be slightly irritating. Repeated exposure may cause skin dryness or cracking.

**Eye contact:** May be irritating in case of eye contact. (Burning, redness)

**Ingestion:** May cause discomfort.

# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 annex II and EC/2020/878

## High Gloss Polish

Date of issue: 2024-08-26

Version 1

### SECTION 4: First aid measures (...)

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Extinguish with water mist, powder, carbon dioxide or foam.

#### 5.2 Special hazards arising from the substance or mixture

Do not breath fumes as during fire, hazardous fumes may be formed. Burning with the development of smoke containing harmful gases (carbon monoxide and carbon dioxide) and, in the case of incomplete combustion, aldehydes and other toxic, health-threatening, irritating or environmentally hazardous substances.

#### 5.3 Advice for firefighters

Wear a self-contained breathing apparatus and protective clothing.

#### Additional information

Cool endangered containers with water in case of fire. Move containers from fire area if it can be done without risk.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Wear personal protection equipment.

Avoid inhalation and contact with skin and eyes.

#### 6.2 Environmental precautions

Prevent product from being flushed into surface water or sewage systems.

#### 6.3 Methods and material for containment and cleaning up

Re-use product if possible. Small quantities may be wiped up with a cloth. Contain larger spill with inert material. Absorb in vermiculite, dry sand or earth. Flush afterwards with water.

#### 6.4 Reference to other sections

See section 7 for proper handling and storage.

For personal protection see section 8.

Collected waste is placed in closed containers and disposed of as waste according to section 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Normal precautions taken when handling chemicals should be observed.

Do not eat or drink while working. Do not smoke.

Do not inhale fumes and avoid contact with skin and eyes.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store the container in a dry, cool and well-ventilated place.

Stored separately from food and animal feed as well as from tools or surfaces that come into contact with these.

Do not store above normal room temperature.

Store only in the original container.

#### 7.3 Specific end use(s)

-

# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 annex II and EC/2020/878

## High Gloss Polish

Date of issue: 2024-08-26

Version 1

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Provide adequate ventilation

#### Swedish limit values (AFS 2018:1/2020:6)

Substance	CAS-No	Level limit value	Short time value	Note
White spirit <2% aromatics	-	50 ppm 300 mg/m <sup>3</sup>	100 ppm 600 mg/m <sup>3</sup>	H, V
Propan-2-ol	67-63-0	150 ppm 350 mg/m <sup>3</sup>	250 ppm 600 mg/m <sup>3</sup>	V

H = The substance can be easily absorbed through the skin.

V = Indicative short-term limit value.

#### British limit values (EH40/2005 Workplace exposure limits)

Substance	CAS-No	Long-term exposure limit	Short-term exposure limit	Comments
Propan-2-ol	67-63-0	400 ppm 999 mg/m <sup>3</sup>	500 ppm 1250 mg/m <sup>3</sup>	-

#### DNEL

Propan-2-ol (67-63-0)	Long term exposure - Workers Systematic effects, Dermal: 888 mg/kg Long term exposure - Workers Systematic effects, Inhalation: 500 mg/m <sup>3</sup> Long term exposure - Consumers Systematic effects, Dermal: 319 mg/kg Long term exposure - Consumers Systematic effects, inandning: 89 mg/m <sup>3</sup> Long term exposure - Consumers Systematic effects, Oral: 26 mg/kg bw/day
-----------------------	---

#### PNEC

Propan-2-ol (67-63-0)	140,9 mg/l	Freshwater
Propan-2-ol (67-63-0)	28 mg/kg	Soil
Propan-2-ol (67-63-0)	140,9 mg/l	Seawater
Propan-2-ol (67-63-0)	140,9 mg/l	Intermittent release
Propan-2-ol (67-63-0)	2251 mg/l	Sewage Treatment Plant
Propan-2-ol (67-63-0)	552 mg/kg	Sediment Freshwater
Propan-2-ol (67-63-0)	552 mg/kg	Sediment Seawater
Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3)	0,24 mg/l	Freshwater
Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3)	5,45 mg/kg	Sediment Freshwater
Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3)	0,024 mg/l	Seawater
Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3)	0,545 mg/kg	Sediment Seawater
Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3)	10000 mg/l	Sewage Treatment Plant

# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 annex II and EC/2020/878

## High Gloss Polish

Date of issue: 2024-08-26

Version 1

### SECTION 8: Exposure controls/personal protection (...)

Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3)	0,946 mg/kg	Soil
Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3)	0,071 mg/l	Intermittent release

#### 8.2 Exposure controls

##### General protective and hygiene measures

The usual precautionary measures for the handling of chemicals have to be observed.

Wash hands before breaks and at the end of work.

##### Individual protection measures, such as personal protective equipment

Always consult a competent person/supplier when selecting personal protective equipment

##### Respiratory protection

In case of insufficient ventilation or if the concentration exceeds the workplace-related limit values, respiratory protection adapted for the purpose must be used.

##### Hand protection

Use protective gloves made of nitrile, butyl, or rubber.

When selection gloves, several parameters must be taken into account, usage, handling time, breakthrough time. etc

##### Eye protection

Wear tightly fitting protective goggles if there is a risk of direct contact or splash.

##### Body protection

Wear suitable protective clothing.

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

<b>Physical state:</b>	Liquid
<b>Colour:</b>	White
<b>Odour</b>	Not determined
<b>Melting point/freezing point</b>	Not determined
<b>Boiling point or initial boiling point and boiling range (°C)</b>	95
<b>Flammability</b>	Not determined
<b>Lower and upper explosion limit</b>	Not determined
<b>Flash point</b>	>60
<b>Auto-ignition temperature</b>	Not determined
<b>Decomposition temperature</b>	Not determined
<b>pH</b>	Not determined
<b>Kinematic viscosity</b>	~2000 cSt
<b>Solubility</b>	Very difficult to dissolve in water (<0.1%) Soluble in Petroleum Naphtha
<b>Partition coefficient n-octanol/water (log value)</b>	Not determined
<b>Vapour pressure</b>	Not determined
<b>Density and/or relative density</b>	0,87 kg/l
<b>Relative vapour density</b>	Not determined
<b>Particle characteristics</b>	Not relevant. The product is a liquid.

#### 9.2 Other information

No further information available.

# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 annex II and EC/2020/878

## High Gloss Polish

Date of issue: 2024-08-26

Version 1

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

Stable under recommended storage and handling conditions

#### 10.2 Chemical stability

Stable under recommended storage and handling conditions.

#### 10.3 Possibility of hazardous reactions

Stable under recommended storage and handling conditions.

#### 10.4 Conditions to avoid

No known.

#### 10.5 Incompatible materials

Keep away strong oxidizing agents.

#### 10.6 Hazardous decomposition products

None under normal conditions.

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

See section 4 as well. (Most important symptoms and effects, both acute and delayed)

##### Irritating/corrosive properties

Not classified as irritant/corrosive according to CLP.

##### Acute toxicity

Not classified as acutely toxic according to CLP.

##### Toxicology data

Information/data about this preparation is not available.

##### Toxicological data regarding relevant constituent substances:

<b>Naphtha (petroleum), hydrotreated heavy (64742-48-9)</b>	LD <sub>50</sub> Dermal rat 24h: >5000 mg/kg LC <sub>50</sub> Inhalation rat 4h: >5 mg/l LD <sub>50</sub> Oral rat 24h: >5000 mg/kg
<b>Propan-2-ol (67-63-0)</b>	LD <sub>50</sub> Dermal rabbit 24h: 15800 mg/kg LD <sub>50</sub> Dermal rat 24h: >12800 mg/kg LC <sub>50</sub> Inhalation rat 4h: 72.6 mg/l LC <sub>50</sub> Inhalation rat 4h: 64000 ppmV LC <sub>50</sub> Inhalation rat 8h: 16000 ppmV LD <sub>50</sub> Oral rat 24h: 5045 mg/kg
<b>Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3)</b>	LD <sub>50</sub> Oral rat 24h: 4100 mg/kg LD <sub>50</sub> Dermal rabbit 72h: 1 - 4 mg/kg

##### STOT-single exposure -repeated exposure.

No known

##### Routes of exposure

Inhalation, eyes and skin, ingestion.

##### Allergenic potential

This product is not classified as allergenic by inhalation or skin contact,

##### Carcinogenicity, mutagenicity and toxicity for reproduction

This product is not classified as carcinogen, mutagen and toxic for reproduction.

##### Aspiration hazard

No

#### 11.2 Information on other hazards

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq 0.1\%$ .

# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 annex II and EC/2020/878

## High Gloss Polish

Date of issue: 2024-08-26

Version 1

### SECTION 12: Ecological information

This product is not classified as dangerous for the environment.  
Do not flush into surface water or sanitary sewer system.

#### 12.1 Toxicity

Information about this preparation is not available.

#### Toxicological data regarding relevant constituent substances:

<b>Naphtha (petroleum), hydrotreated heavy (64742-48-9)</b>	EC <sub>50</sub> Daphnia 48 h: >1000 mg/l Sp: Daphnia magna EC <sub>50</sub> Algea 72 h: >1000 mg/l LC <sub>50</sub> Fish 96h: >1000 mg/l
<b>Propan-2-ol (67-63-0)</b>	LC <sub>50</sub> Fish 96h: 9640 mg/l Sp: Pimephales promelas LC <sub>50</sub> Daphnia 48h: 2285 mg/l Sp: Daphnia magna EC <sub>50</sub> Daphnia 48 h: 13299 mg/l Sp: Daphnia magna LC <sub>50</sub> Fish 96h: 1000 mg/l EC <sub>50</sub> Daphnia 24h: 1 - 100 mg/l Sp: Daphnia magna EC <sub>50</sub> Algea 24h: 1 - 10 mg/l
<b>Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3)</b>	EC <sub>50</sub> Daphnia 48h: 7.4 mg/l Sp: Daphnia magna EC <sub>50</sub> Algea 72h: 27.7 mg/l LC <sub>50</sub> Fish 96h: 7.1 mg/l LC <sub>50</sub> Fish 24h: 1 - 1.8 mg/l NOEC Algea 72h: 0.95 mg/l

#### 12.2 Persistence and degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

#### 12.3 Bioaccumulative potential

This product or its ingredients do not accumulate in nature.

#### 12.4 Mobility in soil

The product is not soluble in water.

#### 12.5 Results of PBT and vPvB assessment

This product is not considered to contain any substances that meet the criteria for classification as PBT or vPvB substances.

#### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq 0.1\%$ .

#### 12.7 Other adverse effects

No known.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

This product or residues of concentrated product are not classified as hazardous waste. Dispose of in accordance with local authority requirements. Do not empty into drain or aquatic environment.

**Suggested EWC code:** Depends on line of business and use. for example:  
08 01 12 waste paint and varnish other than those mentioned in 08 01 11.

#### Disposal of Packaging

Well cleaned packaging could be left for recycling

# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 annex II and EC/2020/878

## High Gloss Polish

Date of issue: 2024-08-26

Version 1

### SECTION 14: Transport information

The product is not classified as dangerous goods according to ADR/RID, IMDG, IATA-DGR.

**14.1 UN number or ID number**

-

**14.2 UN proper shipping name**

-

**14.3 Transport hazard class(es)**

-

**14.4 Packing group**

-

**14.5 Environmental hazards**

Marine Pollutant: No

**14.6 Special precautions for user**

-

**14.7 Maritime transport in bulk according to IMO instruments**

-

LQ

-

Tunnel restriction code

-

### SECTION 15: Regulatory information

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Classification according to Regulation (EC) No. 1907/2006 annex II and EC/2020/878. EH40/2005.

**(EU) REACH Annex XVII**

None listed.

**(EU) Candidate list of SVHC substances**

None listed.

**(EU) REACH Annex XIV**

None listed.

**15.2 Chemical safety assessment**

Assessment and chemical safety report has not been performed.

### SECTION 16: Other information

**The full text of Hazard statement Codes listed under section 3**

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

This information is provided for health and safety assessments by an industrial user.

Reference should be made to any relevant local or national health, safety, and environmental legislation.



# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 annex II and EC/2020/878

## High Gloss Polish

Date of issue: 2024-08-26

Version 1

### SECTION 16: Other information (...)

#### Sources

Safety data sheet provided by the manufacturer.

CLP-regulation, [www.kemi.se](http://www.kemi.se), EH40/2005. [www.echa.europa.eu](http://www.echa.europa.eu) (Databases)

#### Version 1: 2024-08-26

Safety data sheet according to Regulation (EC) No. 1907/2006 annex II and EC/2020/878.

#### Abbreviations explanations

ADR: International Carriage of Dangerous Goods by Road

BCF: Bio Concentration Factor

CAS-nr: Chemical Abstracts Service number

DNEL: Derived No Effect Level

EC<sub>50</sub>: Effect Concentration

EG-nr: A substance number i EINECS, ELINCS or in No-Longer Polymers List.

IMDG: International Maritime Dangerous Goods Code.

LC<sub>50</sub>: Lethal Concentration

LD<sub>50</sub>: Lethal Dose

IC<sub>50</sub>: Median Inhibition Concentration

NOEC: No Observed Effect Concentration

PBT-substance: Persistent, Bio accumulative and Toxic substances.

PNEC: Predicted No Effect Concentration

vPvB-substance; Very persistent and Very Bio accumulative substances.