

Trade name: Hesse Care oil OB 52832-88074

Version: 30 / DK Revision: 20.08.2024

Replaces Version: 29 / DK Print date: 04.09.24

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Hesse Care oil OB 52832-88074

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/preparation

Surface treatment of wood and other materials

## 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

Hesse GmbH & Co. KG Warendorfer Strasse 21 59075 Hamm (Germany)

Telephone no. +49 (0) 2381 963-00 Fax no. +49 (0) 2381 963-849 E-mail address ps@hesse-lignal.de

## 1.4. Emergency telephone number

Germany: +49 (0) 2381 788-612

Testphrase

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Classification (Regulation (EC) No. 1272/2008)

This product is not classified hazardous in accordance with Regulation (EC) No 1272/2008.

#### 2.2. Label elements

## Labelling according to regulation (EC) No 1272/2008

## **Supplemental information**

EUH066 Repeated exposure may cause skin dryness or cracking.

EUH210 Safety data sheet available on request.

#### **Further supplemental information**

Cleaning cloth soaked with the product can self ignite during packing up, therefore dry the cloth on a line or through spreading and dispose of after dry up.

Young persons under 18 years may not work with this product.

#### 2.3. Other hazards

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

## **SECTION 3: Composition/information on ingredients**

#### **Hazardous ingredients**

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclic compound, < 2% aromatics

CAS No. 64742-48-9



Trade name: Hesse Care oil OB 52832-88074

Version: 30 / DK Revision: 20.08.2024

Replaces Version: 29 / DK Print date: 04.09.24

EINECS no. 918-481-9

Registration no. 01-2119457273-39

Concentration >= 10 < 25 %

Classification (Regulation (EC) No. 1272/2008)

Asp. Tox. 1 H304

Naphtha (petroleum), hydrotreated heavy

CAS No. 64742-48-9 EINECS no. 919-857-5

Registration no. 01-2119463258-33

Concentration >= 10 < 25 %

Classification (Regulation (EC) No. 1272/2008)

Asp. Tox. 1 H304

Hydrocarbons, C11-C13, isoalkanes, <2% aromatics

CAS No. 246538-78-3 EINECS no. 920-901-0

Registration no. 01-2119456810-40

Concentration >= 10 < 25 %

Classification (Regulation (EC) No. 1272/2008)

Asp. Tox. 1 H304

EUH066

Hydrocarbons, C11-C12, isoalkanes, <2% aromatics

EINECS no. 918-167-1

Registration no. 01-2119472146-39

Concentration >= 1 < 10 %

Classification (Regulation (EC) No. 1272/2008)

Flam. Liq. 3 H226 Asp. Tox. 1 H304 Aquatic Chronic 4 H413

alkanes, cycloalkanes, C11-14-iso-

EINECS no. 927-285-2

Registration no. 01-2119480162-45

Concentration >= 1 < 10 %

Classification (Regulation (EC) No. 1272/2008)

Asp. Tox. 1 H304

hydrocarbons, C11-C13, isoalkanes, <2% aromatics

EINECS no. 920-901-0

Registration no. 01-2119456810-40

Concentration >= 1 < 10 %

Classification (Regulation (EC) No. 1272/2008)

Asp. Tox. 1 H304

**Note** 

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**



Trade name: Hesse Care oil OB 52832-88074

Version: 30 / DK Revision: 20.08.2024

Replaces Version: 29 / DK Print date: 04.09.24

## 4.1. Description of first aid measures

#### **General information**

In all cases of doubt, or when symptoms persist, seek medical attention. If unconscious place in recovery position and seek medical advice. First aider: Pay attention to self-protection! Remove affected person from danger area, lay him down.

#### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. Keep warm, calm and covered up. In all cases of doubt, or when symptoms persist, seek medical attention.

### After skin contact

Wash off immediately with soap and water. Do NOT use solvents or thinners. Consult a doctor if skin irritation persists.

#### After eye contact

Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice. Take medical treatment.

### After ingestion

Do not induce vomiting. Take medical treatment.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness. High concentration of vapours may cause irritation to eyes and respiratory system and produce narcotic effects.

# 4.3. Indication of any immediate medical attention and special treatment needed Hints for the physician / treatment

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

#### Suitable extinguishing media

Recommended: alcohol resistant foam, CO2, powders, water spray/mist

## Non suitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

## 5.2. Special hazards arising from the substance or mixture

Fire will produce dense black smoke. In a fire, hazardous decomposition products may be produced. Exposure to decomposition products may cause a health hazard. Vapours can form an explosive mixture with air.

### 5.3. Advice for firefighters

### Special protective equipment for fire-fighting

In case of combustion evolution of dangerous gases possible. Use self-contained breathing apparatus.

#### Other information

Do not allow run-off from fire fighting to enter drains or water courses. Cool closed containers exposed to fire with water. Standard procedure for chemical fires.

### **SECTION 6: Accidental release measures**



Trade name: Hesse Care oil OB 52832-88074

Version: 30 / DK Revision: 20.08.2024

Replaces Version: 29 / DK Print date: 04.09.24

## 6.1. Personal precautions, protective equipment and emergency procedures

Eliminate all ignition sources if safe to do so. Ensure adequate ventilation. Do not inhale vapours. Do not inhale gases. Do not inhale mist.

## 6.2. Environmental precautions

Do not allow to enter drains or waterways. Do not allow to enter soil, waterways or waste water canal. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

## 6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Do NOT use solvents or thinners. Send in suitable containers for recovery or disposal.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

### Advice on safe handling

Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits. Keep container tightly closed and dry in a cool, well-ventilated place. Use only with adequate ventilation/personal protection. Ensure adequate ventilation. Provide for sufficient ventilation. This can be achieved by local exhaust or general exhaust air collection. Wear a suitable respirator if the ventilation is not sufficient to keep the solvent vapour concentration below the occupational limit values. Avoid contact with skin and eyes. Avoid inhalation of vapour and spray mist. Do no eat, drink or smoke when using this product. Use personal protective clothing. For personal protection see Section 8.

## Advice on protection against fire and explosion

Vapours can form an explosive mixture with air. Vapours are heavier than air and may spread along floors. In addition, the product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Mixture may charge electrostatically: always use earthing leads when transferring from one container to another. Take measures to prevent the build up of electrostatic charge. Wear shoes with conductive soles. No sparking tools should be used. Fight fire with normal precautions from a reasonable distance. Do not process in the same cabin together with highly flammable material (e.g. CN lacquer) => fire hazard through self ignition! Cleaning cloth soaked with the product can self ignite during packing up, therefore dry the cloth on a line or through spreading and dispose of after dry up.

## 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Provide solvent-resistant and impermeable floor. Keep only in the original container in a cool, well ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

#### Hints on storage assembly

Store away from oxidising agents, from strongly alkaline and strongly acid materials.

#### Storage classes

Storage class according to TRGS 510 10

Flammable liquids

### Further information on storage conditions



Trade name: Hesse Care oil OB 52832-88074

Version: 30 / DK Revision: 20.08.2024 Replaces Version: 29 / DK Print date: 04.09.24

Keep away from heat. Protect from sunlight. Keep away from sources of ignition - No smoking. Store in accordance with the particular national regulations.

## 7.3. Specific end use(s)

See exposure scenario, if available.

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## **Exposure limit values**

alkanes, cycloalkanes, C11-14-iso-

List GV (DK)

Value 180 mg/m<sup>3</sup> 25 ppm(V)

Hydrocarbons, C11-C12, isoalkanes, <2% aromatics

GV (DK) List

Value 180 25 mg/m<sup>3</sup> ppm(V)

Status: 05/2011

Hydrocarbons, C11-C13, isoalkanes, <2% aromatics

List GV (DK)

Value 180 ma/m<sup>3</sup> 25 ppm(V)

Other information

#### Derived No/Minimal Effect Levels (DNEL/DMEL)

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclic compound, < 2% aromatics

Type of value Derived No Effect Level (DNEL)

Reference group Worker Duration of exposure Long term Route of exposure dermal

Mode of action Systemic effects

Concentration 300 mg/kg

Type of value Derived No Effect Level (DNEL)

Reference group Consumer Duration of exposure Long-term Route of exposure oral

Mode of action Systemic effects

300 Concentration mg/kg

Type of value Derived No Effect Level (DNEL)

Reference group Consumer Duration of exposure Long term Route of exposure dermal

Mode of action Systemic effects

Concentration 300 mg/kg

Type of value Derived No Effect Level (DNEL)

Reference group Consumer Duration of exposure Long term Route of exposure inhalative

Mode of action Systemic effects

Concentration 900 mg/kg



Trade name: Hesse Care oil OB 52832-88074

Version: 30 / DK Revision: 20.08.2024
Replaces Version: 29 / DK Print date: 04.09.24

## 8.2. Exposure controls

### **Exposure controls**

Users are advised to consider national Occupational Exposure Limits or other equivalent values. Provide for sufficient ventilation. This can be achieved by local exhaust or general exhaust air collection. Wear a suitable respirator if the ventilation is not sufficient to keep the solvent vapour concentration below the occupational limit values.

## **Respiratory protection**

Respiratory protection not applicable; Use breathing apparatus if exposed to vapours/dust/aerosol. Recommended Filter type: Respiratory protection mask with combination filter A/P2

## **Hand protection**

Protective gloves complying with EN 374.

Glove material

Appropriate Material Nitrile rubber

Material thickness >= 0,4 mm Breakthrough time >= 30 min

This recommendation is valid only for the product named in this safety data sheet supplied by us, and only for the indicated intended use purposes.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed.

The breakthrough time must be greater than the end use time of the product.

Gloves should be replaced regularly and if there is any sign of damage to the glove material.

The performance or effectiveness of the glove may be reduced by physical/ chemical damage and poor maintenance.

#### Eye protection

Safety glasses with side-shields conforming to EN166

### **Body protection**

Wear suitable protective clothing. Remove contaminated clothing and wash it before reuse. Wash hands before breaks and after work.

### **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state liquid Colour grey

**Odour** characteristic

**Melting point** 

Remarks not determined

Freezing point

Remarks not determined

Boiling point or initial boiling point and boiling range

Value 159 to 250 °C

Flammability

not determined

Upper and lower explosive limits



Trade name: Hesse Care oil OB 52832-88074

Version: 30 / DK Revision: 20.08.2024

Replaces Version: 29 / DK Print date: 04.09.24

Remarks not determined

Flash point

Value > 60 °C

Ignition temperature

Remarks not determined

**Decomposition temperature** 

Remarks not determined

pH value

Remarks Not applicable

**Viscosity** 

Remarks not determined

Solubility(ies)

Remarks not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

Vapour pressure

Remarks not determined

Density and/or relative density

Value appr. 0,903 kg/l

Temperature 20 °C

Relative vapour density

Remarks not determined

**Particle characteristics** 

Remarks not determined

9.2. Other information

**Odour threshold** 

Remarks not determined

**Evaporation rate** 

Remarks not determined

Solubility in water

Remarks not determined

Efflux time

Value 25 to 50 s

Temperature 20 °C

Method DIN 53211 4 mm

**Explosive properties** 

evaluation not determined

**Oxidising properties** 

Remarks not determined

Non-volatile content

Value 44,9 %

Method calculated value



Trade name: Hesse Care oil OB 52832-88074

Version: 30 / DK Revision: 20.08.2024

Replaces Version: 29 / DK Print date: 04.09.24

#### Other information

This information is not available.

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Stable under recommended storage and handling conditions (see section 7).

## 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

To avoid thermal decomposition, do not overheat.

#### 10.4. Conditions to avoid

Isolate from sources of heat, sparks and open flame.

## 10.5. Incompatible materials

Keep away from oxidising agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

## 10.6. Hazardous decomposition products

Carbon monoxide and carbon dioxide, nitrous oxides (NOx), dense black smoke, No decomposition if used as prescribed.

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Acute oral toxicity** 

Method Calculation method (Regulation (EC) No. 1272/2008)

Remarks Based on available data, the classification criteria are not met.

Acute dermal toxicity

Method Calculation method (Regulation (EC) No. 1272/2008)

Remarks Based on available data, the classification criteria are not met.

Acute inhalational toxicity

Method Calculation method (Regulation (EC) No. 1272/2008)

Remarks Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Method Calculation method (Regulation (EC) No. 1272/2008)

Remarks Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Method Calculation method (Regulation (EC) No. 1272/2008)

Remarks Based on available data, the classification criteria are not met.

**Sensitization** 

Method Calculation method (Regulation (EC) No. 1272/2008)

Remarks Based on available data, the classification criteria are not met.

Mutagenicity

Method Calculation method (Regulation (EC) No. 1272/2008)

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity



Trade name: Hesse Care oil OB 52832-88074

Version: 30 / DK Revision: 20.08.2024
Replaces Version: 29 / DK Print date: 04.09.24

Method Calculation method (Regulation (EC) No. 1272/2008)

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Method Calculation method (Regulation (EC) No. 1272/2008)

Remarks Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity (STOT)** 

Single exposure

Method Calculation method (Regulation (EC) No. 1272/2008)

Remarks Based on available data, the classification criteria are not met.

Repeated exposure

Remarks Based on available data, the classification criteria are not met.

**Aspiration hazard** 

Based on available data, the classification criteria are not met.

**Aspiration hazard (Components)** 

hydrocarbons, C11-C13, isoalkanes, <2% aromatics

Harmful: may cause lung damage if swallowed.

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclic compound, < 2% aromatics

Harmful: may cause lung damage if swallowed.

11.2 Information on other hazards

**Endocrine disrupting properties with respect to humans** 

The product does not contain a substance that has endocrine disrupting properties with respect to

humans.

Other information

No toxicological data are available.

### **SECTION 12: Ecological information**

## 12.1. Toxicity

#### **General information**

For this subsection there is no ecotoxicological data available on the product as such.

Fish toxicity (Components)

Hydrocarbons, C11-C13, isoalkanes, <2% aromatics

Species Fish

LC50/EC50/IC50/LL50/EL5 > 100 mg/l

O

Duration of exposure = 96 h

### 12.2. Persistence and degradability

### **General information**

For this subsection there is no ecotoxicological data available on the product as such.

### **Biodegradability (Components)**

Hydrocarbons, C11-C13, isoalkanes, <2% aromatics evaluation Not readily biodegradable.

## 12.3. Bioaccumulative potential



Trade name: Hesse Care oil OB 52832-88074

Version: 30 / DK Revision: 20.08.2024

Replaces Version: 29 / DK Print date: 04.09.24

#### **General information**

For this subsection there is no ecotoxicological data available on the product as such.

## Partition coefficient n-octanol/water (log value)

Remarks not determined

## 12.4. Mobility in soil

#### **General information**

For this subsection there is no ecotoxicological data available on the product as such.

## Mobility in soil

no data available

### 12.5. Results of PBT and vPvB assessment

#### **General information**

For this subsection there is no ecotoxicological data available on the product as such.

#### Results of PBT and vPvB assessment

The product contains no PBT substances

The product contains no vPvB substances.

## 12.6 Endocrine disrupting properties

## Endocrine disrupting properties with respect to the envrionment

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

### 12.7. Other adverse effects

#### **General information**

For this subsection there is no ecotoxicological data available on the product as such.

#### General information / ecology

For this subsection there is no ecotoxicological data available on the product as such.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

## Disposal recommendations for the product

EWC waste code 080111 - waste paint and varnish containing organic solvents

or other dangerous substances

EWC waste code 200127 - paint, inks, adhesives and resins containing

dangerous substances

Where possible recycling is preferred to disposal or incineration.

Do not allow to enter drains or waterways.

modified product

EWC waste code 080113 - sludges from paint or varnish containing organic

solvents or other dangerous substances

EWC waste code 080115 - aqueous sludges containing paint or varnish

containing organic solvents or other dangerous substances

**Dried residues** 

EWC waste code 080112 - waste lacquers and waste paint except those falling

under 080111



Trade name: Hesse Care oil OB 52832-88074

Version: 30 / DK Revision: 20.08.2024
Replaces Version: 29 / DK Print date: 04.09.24

## Disposal recommendations for packaging

EWC waste code 150110 - packaging containing residues of or contaminated

by dangerous substances

Completely emptied packagings can be given for recycling.

**SECTION 14: Transport information** 

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number	Not classified as dangerous in the meaning of transport regulations.	Not classified as dangerous in the meaning of sea and air transport regulations.	Not a dangerous substance as defined in the above regulations.

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC

VOC (EU) 54,3 % 494 g/l

**MAL-Code** 

MAL-Code 2-1 MAL 680 m<sup>3</sup>/l

#### 15.2. Chemical safety assessment

For this substance / mixture a chemical safety assessment was not carried out.

#### **SECTION 16: Other information**

### Hazard statements listed in Chapter 3

EUH066 Repeated exposure may cause skin dryness or cracking.

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H413 May cause long lasting harmful effects to aquatic life.

## **CLP categories listed in Chapter 3**

Aquatic Chronic 4 Hazardous to the aquatic environment, chronic, Category 4

Asp. Tox. 1 Aspiration hazard, Category 1 Flam. Liq. 3 Flammable liquid, Category 3

#### **Abbreviations**

RID - Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning theInternational Transport of Dangerous Goods by Rail)

IMDG - International Maritime Code for Dangerous Goods

IATA - International Air Transport Association

IATA-DGR - Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO-TI - Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS - Globally Harmonized System of Classification and Labelling of Chemicals

EINECS - European Inventory of Existing Commercial Chemical Substances

CAS - Chemical Abstracts Service (division of the American Chemical Society)

GefStoffV - Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)



Trade name: Hesse Care oil OB 52832-88074

Version: 30 / DK Revision: 20.08.2024
Replaces Version: 29 / DK Print date: 04.09.24

LOAEL - Lowest Observed Adverse Effect Level

LOEL - Lowest Observed Effect Level

NOAEL - No Observed Adverse Effect Level NOEC - No Observed Effect Concentration

NOEL - No Observed Effect Level

OECD - Organisation for Econpmic Cooperation and Development

**VOC - Volatile Organic Compounds** 

Changes since the last version are highlighted in the margin (\*\*\*). This version replaces all previous versions.

This safety datasheet only contains information relating to safety and does not replace any product information or product specification.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification.

The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

The information contained herein is based on the present state of our knowledge and does therefore not guarantee certain properties.